



# Horizontal Mitre Cutting Bandsaws

## HB 250 A



### SKU : 152796

The compact horizontal band saw with one-piece saw frame made of gray cast iron is suitable for miter cuts and is a handy solution for every workshop.

- Cast-iron saw frame, one-piece construction
- Two speeds for cutting optimization
- Vise with quick-action clamping feature

## TECHNICAL SPECS

### CUTTING CAPACITIES

Cutting capacity 0° (round)	225 mm
Cutting capacity 0° (flat) (length x width)	245 mm x 190 mm
Cutting capacity 45° (round)	155 mm
Cutting capacity 45° (flat) (length x width)	210 mm x 155 mm
Cutting capacity 60° - round	90 mm
Belt speed	40 / 90 m/min

### DRIVE CAPACITY

Main motor rating	1,1 kW
-------------------	--------

### MEASURES AND WEIGHTS

Overall dimensions (length x width x height)	1.36 m x 0.58 m x 0.9 m
Weight	185 kg





## PRODUCT DETAILS

- Cast-iron saw frame, one-piece construction
- For miter cuts, the operator moves the saw frame - not the material
- Hydraulic cylinder provides for infinitely variable support pressure and saw frame feed (HB 210 A / HB 250 A)
- Vise with quick-action clamping feature

## STANDARD EQUIPMENT

- 1 saw blade
- Coolant system
- Base
- Quick-action vise
- Hydraulic cylinder for saw frame
- Operator instructions





## KNUTH on YouTube

### Information to the point

On our YouTube channel you can find videos for nearly all machines from our program. We show the machines from current deliveries and you get an impression of the handling, the processing quality and the machining performance.

**Are you interested in a machine for which you cannot find a current video?  
Please feel free to contact us!**